



## ISO-Designer

Version update from v. 5.6.0 to v. 5.6.1

We automate your success

Jetter AG  
Graeterstrasse 2  
71642 Ludwigsburg  
Germany

**Phone:**

Switchboard	+49 7141 2550-0
Sales	+49 7141 2550-531
Technical hotline	+49 7141 2550-444

**E-mail:**

Hotline	hotline@jetter
Sales	vertrieb@jetter

Revision 1.00

9/15/2022

This document has been compiled by Jetter AG with due diligence based on the state of the art as known to them. Any revisions and technical advancements of our products are not automatically made available in a revised document. Jetter AG shall not be liable for any errors either in form or content, or for any missing updates, as well as for any damage or detriment resulting from such failure.

---

Table of Contents	
ISO-Designer .....	1
1 New features.....	1
2 Fixed Software Bugs.....	2
2.1 Compiler .....	2
2.1.1 Font property was ignored .....	2
2.2 General.....	2
2.2.1 Length of the data for the GraphicData object.....	2
2.2.2 PNG name when inserting a GraphicData object.....	2
2.3 IOP file.....	2
2.3.1 Wrong font during IOP import .....	2
2.3.2 IOP import sometimes set wrong FontSize .....	2
2.3.3 Cancel button of the Delete dialog after ungrouping .....	2



## 1 **New features**

Below, all features that are new in this version, as well as the enhancements are listed.

## 2 Fixed Software Bugs

This chapter describes the software bugs which have been fixed in the new software release.

### 2.1 Compiler

#### 2.1.1 Font property was ignored

The font property **Bold** was ignored by the compiler.

### 2.2 General

#### 2.2.1 Length of the data for the GraphicData object

The length of the data (Number of Bytes in Raw) of a GraphicData object was not written into the C-File. However, this had no impact on the IOP file.

#### 2.2.2 PNG name when inserting a GraphicData object

When inserting a PNG file as GraphicData object, the file name was not used as object name.

### 2.3 IOP file

#### 2.3.1 Wrong font during IOP import

The IOP import always set **Lucida Console** as font, even if the FontAttribute had the Property **ProportionalFontRendering** set.

#### 2.3.2 IOP import sometimes set wrong FontSize

For font attributes with Size 9 - 48x64, 11 - 64x96 and 12 - 96x128 wrong font sizes were set during IOP import. With these font sizes, errors were also displayed when loading the project.

#### 2.3.3 Cancel button of the Delete dialog after ungrouping

If a group is dissolved, a dialog appears to delete the old grouping. If Cancel was selected here, then a new group was created. Instead, the old grouping should have been restored.